



P. O. Box 2440 / Anderson, IN 46018 / 765-642-0206

2012 ANDERSON SPEEDWAY RULES AND SPECIFICATIONS

RULE BOOK DISCLAIMER

The rules and/or regulations set forth herein are designed to provide for the orderly conduct of racing events and to establish minimum acceptable requirements for such events. These rules shall govern the condition of all events and by participation in these events, all participants are deemed to have complied with these rules. NO EXPRESSED OR IMPLIED WARRANTY OF SAFETY SHALL RESULT FROM PUBLICATION OF OR COMPLIANCE WITH THESE RULES AND/OR REGULATIONS. They are intended as a guide for the conduct of the sport and are in no way a guarantee against injury or death to a participant, spectator or official.

The race director shall be empowered to permit deviation from any of the specifications herein or impose any further restrictions that in his opinion do not alter the minimum acceptable requirements. NO EXPRESSED OR IMPLIED WARRANTY OF SAFETY SHALL RESULT FROM SUCH ALTERATION OR SPECIFICATIONS. Any interpretation or deviation of these rules is left to the discretion of the officials. Rules and regulations, if not covered herein, will be interpreted by management or designated officials and their resulting decisions will be final.

The Management of Anderson Speedway - Action Entertainment, Inc.

These rules are effective January 2, 2012 and supersede all previous rules.

The Management of Anderson Speedway Reserves the Right to Change the Rules as They Deem Necessary to Ensure Fair and Competitive Racing. Rule changes will be posted on the Anderson Speedway website.

TABLE OF CONTENTS

GENERAL RULES	3
RACING PROCEDURE RULES	6
SAFETY RULES AND EQUIPMENT	8
CAR NUMBERS, LICENSE AND INSURANCE REQUIREMENTS	10
Car Numbers:	10
License Information:	10
Insurance Requirements:	10
Point System and Regular Starting Procedures	12
Line up Procedures – All Divisions	12
YEAR END POINT FUND	13
PIT PASS PRICES	13
SPEEDWAY POLICY REGARDING USE OF OR POSSESSION OF ILLEGAL DRUGS OR SUBSTANCES	14
TECHNICAL RULES	16
ANDERSON LATE MODEL	16
Chassis Option and Base Weight Minimums:.....	16
Suspension:	16
Engine:	16
Engine/Weight Combinations (to base weights above):	17
Transmission:	17
Body:	17
Additional Rules:	17
STREET STOCK	18
Chassis/Base Weight:.....	18
Transmission:	18
Suspension:	19
Engine:	19
Body:	19
Additional Rules:	20
THUNDERCAR	21
Section A: Eligible Cars.....	21
Section B: Engine and Transmission	21
Section C: Suspension, wheels, tires and brakes.....	21
Section D: Body, Frame and Interior	22
Section D: Body, Frame and Interior - Continued	22
Section E: Safety	22
FRONT WHEEL DRIVE (F.W.D.) CARS Oval & Figure 8.....	23
Section A: Eligible Cars.....	23
Section B: Engine & Transmission	23
Section C: Suspension, Wheels, Tires, and Brakes.....	24
D. Body, Frame, and Interior	24
E. Safety	24
PURSE DISTRIBUTION FOR 2012	25
POINTS DISTRIBUTION FOR 2012.....	25

GENERAL RULES

(for all Owners, Drivers and Crew Members)

The following are rules that apply to all car owners, drivers, pit crewmembers and all other persons in the pits, track and infield area at any event organized by Speedway Management. These rules apply to all divisions unless otherwise stated in the specific rules of the division.

1. An owner or their representative **MUST** report to the scorer upon entering the pits, to report the car # and driver for each division for the night's events. An event is considered to start at the time a car and/or driver enters pits prior to practice. Failure to report may result in disqualification and/or the loss of points and money for the night's events. A car owner must run the same car for the entire event to earn points and purse. Any car, driver or number change must be reported to the race director and/or scorer before the start of the race and that car will then start on the tail of the feature race and the tail of the fast heats. An owner may only place his car number on another vehicle during the course of an event if his scheduled driver drives the car in that event and will forfeit 25% of the points earned for that car for that event. Driver points will go to the driver of record at the start of the feature.
2. A car may be used in only one division per night, except where special exceptions are made by management.
3. A driver may compete in a maximum of two races per event, except on specially designated races announced by management prior to the event.
4. **When transponders are used for scoring, it is mandatory the all transponders be affixed to the vehicles properly and with an approved transponder bracket. Failure to do so will result in a minimum \$100 fine and possible disqualification. Car owners are responsible for proper care and damage to transponders. Transponders should be on race cars before entering race track.**
5. The registered owner and/or driver of a car must be present and compete. Absence of a registered owner and/or driver to compete in their own vehicle for more than two weeks will result in loss of all points earned for their team for the weeks they were not present. Management may waive this rule with prior consent and good cause.
6. Standard driver's meetings will be held immediately following the night's qualifying or at a designated time by the race director.
7. Practice or hot laps will not be permitted on the track until all necessary safety equipment arrives for the event.
8. Cars will not be permitted to drive around the pits for warming up engines, etc.
9. Management or designated track officials will be the final judge on the ability and performance of drivers, their conduct and actions, and the safety and compliance with the technical specification of all cars.
10. All drivers must be 18 years of age unless they receive prior approval from the Speedway management. Pit crewmembers must be at least 14 years of age. (Exceptions to these guidelines must be approved by Management.) No person under 18 years of age, without a parent waiver form completed, will be allowed to enter the pits, track, or infield area. All drivers, owners, pit crews, race officials, wrecker crews, ambulance crews and all other working or visiting persons shall sign official insurance forms and a liability release and waiver form before entering the pit area. All persons who choose to enter the pits must have a visible and valid pit pass before they will be allowed to enter or remain in the pits, track or infield area. **No Exceptions!**

11. Drivers will not be permitted on the track without safety equipment properly secured in position. Safety equipment shall include window net, helmet, seat belt and shoulder harness, neck restraints, fire extinguisher in-car and complete, approved fire suit.
12. Technical officials have the right to inspect and approve cars for compliance with technical specifications, track rules and safety equipment requirements. Violation of the rules outlined in this rulebook and/or unsportsmanlike conduct may result in the disqualification of the car, driver and owner and a suspension for a minimum of two weeks of applicable point's events, a fine and/or the loss of all accumulated points and purse money for that night. In addition, fighting and/or use of a race vehicle as a weapon will result in an automatic **fine, point sanctions and possible suspension**. Subsequent infraction by the same individuals or team will result in substantially greater penalties which may include suspension for the balance of the racing season or permanently, loss of all accumulated points, point fund monies and purse monies for the year. All fines must be paid before the penalized party may compete.
13. Suspensions may include the car, car #, driver, owner or crew members associated with the party who engages in conduct, actions and behavior which is deemed to be detrimental, harmful, damaging or threatening to other participants, drivers, car owners, crew members, officials or spectators. An individual or entire crew may be suspended with the decision of management being final. **All car owners are responsible for their driver, crewmembers and guests, and may face suspension of their entire team based on the actions of one crewmember.**
Unsportsmanlike conduct will not be tolerated at Anderson Speedway!
14. Any person who assaults or threatens to do bodily harm to any other person will be deemed to be in violation of these track rules and may face penalties as outlined above. **Fighting or verbal abuse of track officials is a definite violation of these rules** and those deemed to be in violation will also face penalties as outlined above.
15. All participants who have purchased a membership license and/or pit pass, agree and affirm that they have read and fully understand these rules, regulations and car specifications as published by Action Entertainment, Inc. d/b/a Anderson Speedway and that they accept, agree to follow and abide by all of these rules and regulations. In the event they should violate any of these rules, either knowingly or unknowingly, they fully accept the consequences and understand that the decision of the management or designated track officials are final and in compliance with these rules and regulations. Anyone who does not wish to accept, comply with or follow these rules is able and free to withdraw their car from competition at any time and remove it immediately from Anderson Speedway property.
16. All persons purchasing a pit pass fully understand and agree that all participants at Anderson Speedway must comply with these rules and regulations and that by purchasing a pit pass and/or membership they freely and voluntarily choose to accept these rules and to participate in the race program at Anderson Speedway. Their voluntary and knowing participation in the racing program does not grant to the participant any property rights, interest, right or privilege to participate in future racing events. There is no obligation or requirement that Anderson Speedway allows a disqualified car, owner, driver, crewman or any other participant to continue to participate in a racing program or any future event. A determination that a violation of these rules and regulations has occurred is the sole discretion and best judgment of the management, track officials or tech committee.
17. No person holding rights to enter the pit area may drink intoxicating liquors or have alcohol in their system. Infractions of this rule will be immediately reported to track officials and said person or persons may be subject to a fine, suspension from the track for two weeks and loss of all accumulated points. Absolutely no alcohol is allowed to be consumed in the pits before or during racing activities.

18. A person holding rights to enter the pit area, who is under a licensed physician's care and taking prescribed medication which may alter the person's ability to compete or may affect their safety in the pit area, may not compete or enter the pit area if management deems the medication may affect their safety or the safety of others. Anyone taking such prescribed medication must report this to management before entering the pit area.
19. Technical infractions will be subject to sanctions imposed by the Technical Director or Management and may range from immediate correction of the problem, additional weight to the car, other equalizing adjustments or disqualification.
20. Track officials may inspect any car or cars for any reason or purpose they deem necessary, at any time.
21. The purse of any disqualified driver will be paid to the next position and all the other cars will move up one position. Only cars disqualified for technical reasons will be allowed to retain their perfect show status, where applicable.
22. Any technical protest must be made by the car owner or driver competing in the same division and must be submitted in writing prior to the feature event. The written protest must specify, in detail, a single, specific part or rule in violation and must be a performance enhancing part protest, specifically engine, drive train or direct suspension, and be delivered to the chief technical inspector, race director or track management and be accompanied by \$150 cash (\$100 car owner, \$50 Speedway). Management reserves the right to decline any protest for any reason. Petty protests will not be considered.
23. Anderson Speedway management reserves the right to tear down any engine. If the engine checks legal, the track will pay the car owner \$80 if heads are removed and \$25 if only the intake is removed.
24. Any part that is found to be illegal or questionable by Speedway officials can be immediately confiscated and become the permanent possession of the Speedway. (If you don't want to lose the part, don't bring it to the track)
25. The speed limit in the pit area is 5 mph. Disciplinary actions will be taken against those in violation of the this.
26. No person shall be permitted in the infield or on the ramps at anytime unless otherwise specified by management.
27. Any driver, owner or crewmember that makes a legal claim against Action Entertainment, Inc. or their employees for any reason whatsoever, and loses, will not be permitted on Speedway grounds until further notice.
28. Mirrors, radio or crew communication (including from the grandstand areas) will not be permitted unless otherwise approved by the race director or in the rules for the specific division..
29. All prize monies will be paid by check and mailed to the owner the following week. Checks must be cashed immediately and will be void with no recourse after 60 days. There is a \$25 charge for any check that is reissued.
30. Cars which, deemed by management, are not present to legitimately compete, will not receive any points or purse for that event. Starting a car in the feature with no intent to be competitive and only to earn starting money or points will not be tolerated.
31. All participants, including but not limited to, car owners, drivers, mechanics and pit crews agree, consent to and understand that they must abide by all of the terms, rules and requirements of these rules and all other rules and requirements contained in this rule book and the rules of the Speedway, whether in writing, distributed individually or posted in a designated location at the race track or verbally delivered by the officials of the Speedway.
32. Any reference to "cars" also applies to all divisions.

RACING PROCEDURE RULES

The following are the track rules that apply to all divisions unless otherwise stated in the driver's meeting.

1. Management or designated officials will determine the number of cars to run in each event.
2. Drivers must be staged in the staging lane off turn 3 prior to the start of their race and it is their obligation to be there at the appropriate time based on where they start in the line-up. Drivers are expected to know where their starting position is prior to arriving at the staging area. Late drivers may be forced to start at the tail of the field at the discretion of the race director.
3. When 2 laps are given in qualifying, once the green flag is taken, that lap will count as a qualifying lap regardless of problems during qualifying. When 1 lap is given in qualifying, a driver that spins or has a major mechanical failure during his qualifying run, may make another attempt, but loses all points from qualifying and is not eligible for the inversion.
4. A car must run in its heat race to keep its feature starting position. Failure to run the designated heat race will result in starting on the tail of the feature.
5. On starts and restarts, no passing may be done until the green flag is displayed. When the green flag is displayed, passing may be done anywhere on the track. Cars must maintain their positions until the green flag is displayed "When its green...it's green all over".
6. There will be no racing back to the caution once the yellow has been displayed. Scoring will revert to the last scored lap where at least half the field has completed the lap (at the discretion of the race director & scorer). The only time racing back to the caution is allowed is when the leader has taken the white flag at the starting line, at which point cars will race back to the checkered flag, unless the race director calls for a red flag for an unsafe situation.
7. If a caution flag is displayed, all cars that have spun as a result of the accident and the party deemed directly responsible, must restart from the tail. Drivers involved in secondary incidents that happen after the caution flag waves (as deemed by the race director/scorer) will be permitted to return to their position. If the race director deems an accident intentional, the car deemed responsible will be put to the tail or disqualified. This may also apply to a driver who has been previously warned about their driving style or who has been deemed to violate a stated driving policy. The car that was spun may be permitted to return to their position.
8. Drivers are not to expect a caution just because they have spun. The caution flag may not be displayed until they are a lap down and thus, should reenter the race immediately and safely.
9. Line up order on restarts will be double file based on the running order before the caution. In the final 5 laps of any feature, only the lead lap cars will be allowed to restart at the front of the field after a caution. The remainder of the field will line up as they were running on the track. In the heats, lapped cars should use discretion and consider falling to the tail. This rule may be altered by the Race Director at any event and will be announced during the drivers' meeting or by other notification to all teams before the race.
10. During red flags, all cars must stop immediately and safely. Once permitted by officials, all cars that go to the pits must re-start from the tail. No cars will be allowed to enter or exit the track during green flag conditions. Working on your car on the track or infield area will be considered going to the pits.
11. Any driver receiving the black flag must leave the track immediately or face disciplinary action. Scoring stops immediately when the black flag is displayed and will only be resumed when the situation has been rectified to the satisfaction of officials. Further sanctions will be taken against anyone who doesn't leave the track within 2 laps for any reason other than running over their

qualifying time. If a car receives the black flag for running over their qualifying time, they will be allowed to drop to the tail and resume racing, without leaving the track. (**.3 sec breakout rule**).

12. Race officials are not permitted to work on a racecar in the infield or during a race. The driver must return to the pits for all repairs. Race officials may only assist with a window net, safety belts or safety equipment. Drivers who get out of their car while on the track or infield area must return to the pits.
13. Unless otherwise stated, the following cars should report to the scales and tech area following their event: top 3 in heat races and top 5 in the features.
14. Slower and lapped cars must stay in the low groove and must yield a clear outside groove for lead lap cars.
15. Passing or racing on the apron of the racetrack will not be permitted or tolerated.
16. Due to the limited space of the racetrack and safety of officials and fans, “Victory Donuts” or post race celebrations with vehicles or reckless driving will not be allowed and will result in sanctions or disqualification.
17. A fine of \$50 will be levied for a trophy that is not returned by a disqualified car.
18. All results will be posted following the feature events and will become official 30 minutes after posting. Any protest of the final results must be in writing and delivered to the race director or track management within 30 minutes of the posting. Management may delay the official results if circumstances warrant investigation.

SAFETY RULES AND EQUIPMENT

1. All Late Models, Street Stocks and ThunderCars must have a complete roll cage and be approved by tech officials. Main cage must be made of 1 3/4-inch O.D. seamless steel tubing with no less than a .095-inch wall thickness. Critical joints must have gusset plates and bars around the driver must be padded.
2. All four-corner posts of the cage must be roof high and connected by a roof hoop. All four corner posts must fasten directly to the frame on the bottom and have cross braces at dash height in front of and behind the driver. All cars must have a minimum of 4 door bars on the left side and 2 door bars on the right. These door bars must arch out to the door panels. All cars should have braces from the main cage to the front and rear frame sections (including hoops).
3. All cars must have complete firewalls and floor pans and must be OEM.
4. All cars must use an approved racing seat that extends at least as high as the driver's head. This seat must fasten directly to the frame and cage.
5. All cars must have an approved seat belt & shoulder harness (5 point) and must be no older than five years (2007). They must fasten directly to the frame and cage.
6. A racing helmet that meets Snell 2005 standards or higher quality is required. All drivers must wear an approved fire suit, with no holes, at all times on the track. All drivers must wear a padded neck collar. The neck collar must properly fit the driver and fill the void between the driver's shoulders and helmet. A neck restraint such as a HANS device is highly recommended and may be required in the near future.
7. Steering columns must be padded with 2 inches of resilient material and should have a breakaway steering shaft.
8. A standard, full size window net must be used. String type nets are not permitted. Operating, onboard fire extinguishers are required.
9. Fuel injection or nitrous systems are not permitted. (Exception F.W.D. cars-fuel injection only).
10. Only standard racing gas or pump gas that does not exceed a dialectic constant level of +1.0 (with a .4 tolerance) is allowed. Performance and masking additives are prohibited. (Unleaded Gas Will Not Meet This Test!)
11. Electric fuel pumps are not permitted. (Exception F.W.D cars).
12. The battery must be securely fastened in a battery box and must be covered to prevent spills.
13. Fuel cells are mandatory, (exception F.W.D. cars), and must not exceed 22-gallon capacity. A minimum of ten (10") inches of ground clearance is required. Fuel cells and gas tanks must be secured by 1 1/2 inch x 1/8-inch steel straps.
14. A driveshaft loop is mandatory and must be 6 inches rearward of front "U" joint.
15. A hook or chain must be on the front and rear of each car for wrecker hook-up (on the outside of the bumper).
16. Brakes must be in working order on all four wheels.
17. **All ballast must be painted white with the car # in a contrasting color. There is a minimum \$25 fine for lost ballast. Points and purse may also be forfeited at track official's discretion if ballast comes off.**
18. All cars must have a door-plate made of 1/4-inch aluminum or 1/8-inch steel measuring 20 inches high and extending from the front door post to the rear doorpost.
19. All cars must have approved 15 inch x 8-inch steel racing wheels or approved steel spoked wheels on the right front. Other wheels are optional but must be steel and no larger than 15 inches x 8

inches. All wheels must be secured with 1-inch lug nuts or cars will not be eligible. (Does not apply to F.W.D).

20. Oil or Transmission Coolers are not permitted in the driver's compartment.
21. Anti-freeze is not allowed as a coolant and violators will be fined a minimum of \$25.
22. Tire softening or any effort to alter the performance of the tires will not be allowed. For the Hoosier Spec Tire, any durometer reading under "64" will be grounds for disqualification. Any attempt to artificially cool the tires or to overheat them will be grounds for further penalties.
23. All cars must use a radiator over flow catch-can with a minimum 1/2-gallon capacity. No overflow containers (water or transmission) are permitted in the driver's compartment.

CAR NUMBERS, LICENSE AND INSURANCE REQUIREMENTS

Car Numbers:

1. A car owner must have a race car to obtain a number and must purchase a license before a number is given out.
2. All numbers used at Anderson Speedway are the property of Action Entertainment, Inc. and they will be solely responsible for issuing such numbers. In the event ownership of a car changes, that number returns to Action Entertainment, Inc. for reissuing.
3. No numbers higher than number 99 will be issued without special permission from management. To maintain a 2011 car number, a license must be purchased and issued before January 31, 2012.
4. All cars must have a six-inch number displayed in the upper corner of the windshield on the passenger side.
5. Reflective or mirrored numbers are not permitted and those using them face the possibility of not being scored.

License Information:

1. All drivers and owners must have an Anderson Speedway membership license before they can compete in any event, excluding designated special events. A temporary license, good for 1 event only, will be available to non-regular competitors. Any competitor running for more than one event must purchase a membership. When points are involved, all permanent licensed owners will receive points. A permanent membership must be purchased before an event begins for the owner to receive points for that event. Retroactive points will not be posted.
2. The license fee for 2012 will be \$75 for owners and drivers, \$60 for crew and others and \$10 for temporary licenses (one event).
3. All drivers should have a valid state driver's license and may be required to produce such, at the discretion of Speedway management.

Insurance Requirements:

1. It is to be understood that the Anderson Speedway insurance policy is secondary coverage to the injured party's primary coverage and the participant's signature on the waiver releases the Speedway from all liability. The participant assumes the risk.
2. Everyone entering the restricted pit area or competing in an event at Anderson Speedway must read and sign a release of liability waiver and receive a proper pit credential (pass) before entering the restricted area or competing. Any attempt to circumvent this policy, including exchanging passes or using previous event passes will result in immediate expulsion from the property, suspension from future participation and possible criminal and civil penalties.
3. Any accident that occurs on Speedway property must be reported to the Anderson Speedway office immediately.
4. Any participant transported by ambulance to the hospital will automatically have an accident report filled out completely.
5. Any person that is injured at Anderson Speedway and does not require or use Anderson Speedway's ambulance but requires medical treatment must notify Anderson Speedway officials before going to the doctor or hospital and fill out proper papers. This must be done prior to leaving the track.
6. All insurance forms received by insured party must be filled out by the injured party and one copy filled out by doctor and returned to insurance carrier immediately. All insurance benefits cease once you resume driving.

7. Bodily injury resulting from fighting by race participants is not covered by Anderson Speedway's insurance policy.
8. It is not permitted for people entering the pits to leave children unattended in the grandstands.

Point System and Regular Starting Procedures

1. Points are awarded to the registered owner of the car. All purses and prizes will be paid to the owner.
2. Driver points will only be kept for the sake of determining a "Driver Champion". All other awards will be based on legitimate owner's performance.
3. **To be eligible for point's awards, a participant must have competed in 80% of the point's events for their division and must be present at the banquet (unless otherwise approved by Speedway management in advance).**
4. To be eligible for "Rookie of the Year" honors, a driver must not have competed in more than 3 races in that division, and must complete a special "Rookie Registration Form" by May 31, 2012.

Line up Procedures – All Divisions Regular Points Races:

These procedures may be altered at the discretion of Track Officials based on car counts in divisions or other reasons. Special races may have different starting procedures and will be announced by management prior to the race.

Qualifying:

All cars will qualify for starting positions in the heat races. The qualifying order will be determined by the current points positions with the point leader qualifying first. A car which presents itself late for its qualifying position will only receive one qualifying lap and will not receive qualifying points.

Heat Races:

Heat races will be lined up based on qualifying times. Based on the number of heats cars will be divided and inverted based on their qualifying times. Non-qualifiers will be placed at the tail of the heat which the Race Director deems appropriate. Cars who elect to not start in their designated spot must start from the tail of their designated heat and forfeit their qualifying points unless the Race Director has determined that the car not start from its designated spot, i.e. safety. See "Breakout Rule" #11 under Race Procedures.

Features:

Feature races will be lined up based on qualifying. The winner of the first heat will draw for a 4, 6 or half inversion for the Feature race. The person drawing for the inversion may be changed from time to time at management's discretion, i.e. fans. See "Breakout Rule" #11 under Race Procedures.

YEAR END POINT FUND

Year End Point Funds in all divisions will be based on the owner's points of the top ten in each division and based on a regular night's purse. All year-end awards will be presented to the owners except for **driver champions** and special awards, i.e. Rookie of the Year, Sportsmanship and Dedication. In addition to contingency awards, cash point funds will equal a standard night's purse for each division to a minimum of the top five eligible owners in each division.

PIT PASS PRICES

Pit pass prices for Regular 2012 Events will be \$25 for members and \$30 for non-members. Special events may vary.

As an added bonus, a membership and guest pass will both be eligible for a front gate discount which is \$2 off on regular Saturday events. Special events may vary.

SPEEDWAY POLICY REGARDING USE OF OR POSSESSION OF ILLEGAL DRUGS OR SUBSTANCES

1. **Illegal drugs, Definition:** Illegal drugs are those substances defined and prohibited by state and/or federal laws.
2. **General Prohibition:** Possession or use of illegal drugs or drug substances, as defined above, is prohibited in any form, by any participant at Anderson Speedway, either on the Speedway grounds, or any area considered to be used in the operation of the Speedway, such as parking lots or leased properties.
3. **Participant Definition:** A participant is any person taking part in any event at Anderson Speedway in any form, including but not restricted to drivers, car owners, mechanics, crewmembers, sponsors, track officials or pit area observers. All such persons shall be considered public figures that have by their own choice become involved in an auto-racing event at Anderson Speedway, with the full understanding that he or she must abide by the rules and regulations established and published or announced by Anderson Speedway. All participants are considered to be responsible for their personal conduct.
4. **Drug Testing:** By agreeing to participate, any person holding a pit pass may be subject to a drug test at any time and by purchasing the pit pass and/or membership waives all rights and willfully agrees to such testing without recourse. Any one refusing such test will immediately have all privileges revoked and must leave the Speedway property immediately.
5. **Violations and Penalties:** Any person found to be in possession of or under the influence of an illegal drug or drug substance on the Speedway property, as defined above, or any person who is arrested by duly-constituted authorities and charged with possession and/or use of illegal drugs or drug substances, or any person who is formally charged by a court of law with illegal drug violations, shall be subject to the following penalties by the Speedway:
 - A. Suspension from competition and eviction from the Speedway property, and denial of further entry to the Speedway for a period to be determined by Speedway officials.
 - B. Any participant who is formally charged by a court of law with an illegal drug violation, upon notification to Anderson Speedway management by that agency, shall be suspended from all forms of participation at Anderson Speedway until such time as the charges are fully adjudicated through the legal process. Any participant convicted of a formal drug charge by such process of law will be prohibited from taking part in any Anderson Speedway events for a minimum period of 90 days from the date of conviction.
5. **Appeal and Hearing:** Any participant suspended for a violation of these rules may be granted an appeal hearing by a board of officials designated by Anderson Speedway, provided the suspended participant requests such a hearing, in writing, within 14 calendar days of the date of suspension. It is the responsibility of the suspended party to make such a request, if a hearing is desired.
6. **Reinstatement:** A participant suspended for violation of these rules, Except In The Case Of Persons Charged With Selling Drugs, may, as the result of a decision reached through the hearing process detailed above, be reinstated, it is mutually agreed that the participant - at his or her own

expense - will produce documentation from a physician licensed within the State of Indiana, certifying that he or she is drug independent, as a result of random and periodical examinations and urinalysis testing, made at the request of Anderson Speedway management.

7. **Prescribed Drugs:** If a participant is using prescription drugs on the advice of a physician, such use must be reported to the chief pit steward or racing director prior to the participant's entry into any Speedway activities. Failure to so notify will subject the participant to penalties as described above.

TECHNICAL RULES

ANDERSON LATE MODEL

(Same as CRA Sportsman Rules)

Chassis Option and Base Weight Minimums:

(after race/qualifying without refueling)

Stock Clip with Standard Lower A-Frames **2875 lbs**

Stock Clip utilizing strut type suspension **2925 lbs**

Manuf. Front Clip (w/ Stock-Type, non adjustable Lowers A's) **2900 lbs**

Manuf. Front Clip (w/ strut type suspension) **2950 lbs**

1. Races longer than 50 laps will have a 1lb per lap over 50 laps allowance.
2. Maximum 58.0% Left Side weight at all times.
3. Maximum 58.5% Left Side weight for cars that utilize Full Perimeter Chassis (ie: Old Tour Type fabricated chassis or OEM frame) with a minimum of three door bars extending past the perimeter frame rails.
4. Maximum 59.0% Left Side weight for cars that utilize Full OEM Stock frames from steering box mount to middle of rear axle (and use a stock type steering box – no rack, and 4 link suspension) or cars using Standard Crates Engines.

Suspension:

1. Minimum 5” coil springs front and rear.
2. Maximum tread-width measured at spindle height is 78” measured outside of tire to outside of tire.
3. **Deduct 25 lbs** for full metric chassis w/ stock lower suspension as long as stock steering box and 4 link suspension is utilized.
4. Aftermarket upper A-Frames allowed.
5. Steel shocks only without canisters.
6. Maximum 8” wide steel wheels only. OEM, Floater or Quick Change rear ends allowed. If a Quick Change rear end is used, there should be plate between the rear end and fuel cell.
7. *No fifth (5th) coil, or lift bar suspensions will be permitted. No birdcage set-ups of any kind (3 or 4 link). Trailing arms must mount to rear end in a solid fashion (heim allowed) and no part of the trailing arm mounting may freely rotate around the rear end.*
8. The Hoosier 970 (plated “CRA”) is the spec tire for this division
9. A Spec tire will be announced at a later date.

Engine:

1. Engine must use cast iron block and heads.
2. No Dry-Sumps.
3. Headers allowed.
4. Aluminum intakes allowed.
5. Engine setback maximum 4” from a centerline between the upper ball joints (Strut-type, fab clip chassis must be max 2” setback for engines with rear mounted distributors/ 4” max for front mounted distributors).
6. Center of crankshaft must have a minimum 10” ground clearance.
7. Any two or four barrel carb allowed (no Predators).

Engine/Weight Combinations (to base weights above):

Standard Approved Crate Pkge. (6300 rev limit)	Deduct 150 lbs
Engine 305 C.I. (+/- 5 C.I.)	Deduct 100 lbs
Engine 310 to 364 C.I.	Deduct 50 lbs
Sealed McGunegill (7200 rev limit) Steel Heads	Deduct 50 lbs
Sealed McGunegill (7200 rev limit) Alum. Heads	Add 50 lbs
Engine over 410 C.I.	Add 50 lbs
Aluminum Heads (excluding Crate or McGunegill)	Add 100 lbs

Transmission:

1. OEM Style Transmissions (defined as standard style transmission with external, separate, clutch). **Add 25 lbs** for a Bert and Brinn Style transmission (unless used with a crate engine, then no penalty for their use).
2. **Multi-disc clutches will be permitted. No direct drives. Conventional clutch mounted to fly wheel only will be permitted. Any transmission that does not meet these guidelines may be assessed a minimum 25 lbs penalty.**
3. **No carbon fiber or nonstandard material clutches. The minimum clutch diameter is 5.5". No "slipper" or centrifugal" clutches allowed.**

Body:

1. Stock appearing bodies may be Aftermarket or OEM. Body should be ABC or similar stock appearing body. No outlaw, "Downforce" or square-sided bodies. Steel, Fiberglass or Plastic panels O.K. Standard 5-star or AR pavement short track noses, roof, and rear bumper covers must be used and may not be cut or altered. **(Fenders, doors and ¼ panels MAY BE FABRICATED but must be similar in appearance to those produced by ARP/5Star for these rules).**
2. Minimum 4 inch ground clearance on all parts of the body.
3. Side windows may go no further back than 12" from the A-Post/Door corner and must go straight up at a 90 degree angle from the door.
4. The maximum front overhang measured from the centerline of the front wheels to the leading edge of the nose is 46".
5. The maximum rear overhang from centerline of rear wheels to the base of the spoiler is 47".
6. The minimum roof height is 47", **measured 10" from front windshield.**
7. *The maximum rear ¼ panel height is 34.5".*
8. Total width from outside of fender flares in front of tires is 79 ½".
9. *The maximum body width at any point is 79.5".*
10. *The rear deck should remain relatively flat side to side and front to rear.*
11. Spoiler must be centered on car and may not exceed 390 sq. inches (ex 6.5" x 60" or 6"x 65").
12. **Rub rails may only be used if they are polycarbonate.**

Additional Rules:

1. A fuel cell is mandatory and cannot exceed 22 gallon capacity. Fuel line must be standard in its size and length.
2. **No carbon fiber except for safety devices such as seats or head and neck restraints.**
3. **Collapsible steering column recommended for 2012 and maybe required for 2013 and beyond**
4. Radios are allowed.
5. Officials may change any of the Late Model rules in the interest of fairness and safety at any time and all decisions are final.

Added: 3/18/12

The Stock Clip with a Standard Lower A-Frame with no adjustments will stay the same at 2875lbs. A Manufactured Front Clip (non-adjustable Lower A-Frames or Frame mounting points, No heim joints in A-frame) will have a base weight of 2900lbs. Also with a 2900lbs bases weight will be chassis that have a stock front clip with (non-adjustable Lower A-Frame mounting points. adjustable Lower Heim Joints in A-frame.) A Manufactured Front Clip with non adjustable lower A-Frame mounting points, Heim Joint adjustable Lower A-frame will need to weigh 2925. At 2950lbs base weight will be the Manufactured Front Clip with strut type suspension or A-Frame Type Lower with adjustable frame mounts and heim joint adjustable Lower A-frames. The minimum base weight for a fabricated clip with strut suspension without chassis side adjustment is 2925

STREET STOCK

The definition of stock means no modifications to factory parts or factory specifications. The absence of a specific rule does not imply approval, consent or permission regarding that subject. Any questions or doubts regarding such matters should be directed to Speedway officials. This division shall be restricted to owners and drivers holding an Anderson Speedway competitor's license.

Chassis/Base Weight:

1. Cars must utilize a street-type American made chassis (1965 or newer). 105" min wheelbase.
2. **3100 lbs. base weight** minimum at all times, including after race with driver (no refueling after race).
3. Maximum left side weight is 57.0% at all times.
4. Races longer than 50 laps will have a 1lb per lap over 50 laps allowance.
5. Cars must utilize factory frame sections from front steering box mount to rear of rear spring pocket. No widening of the frame in any way. The cross member must remain the OEM Stock component and in OEM location but may be modified for oil pan or fuel pump clearance. Weight Jacks OK. Leaf Spring cars must have prior tech approval for rear suspension chassis construction.
6. Roll cages must not be offset and must be perimeter type. Installation is subject to technical approval. . The width of the top roll cage bars (halo) must be a minimum of 75% of the width of frame rails where the cage attaches. The cage must go straight up the doors before a slight angle into the roofline. Side plate on driver's door must be used and must be a minimum of 12" high, post to post, 1/4" thick and either be welded to the cage or fastened with six 1/2" bolts. A minimum of 3 protection bars (min. 1/4" wide round stock) in front of driver in windshield area are mandatory.
7. *No cage or body supports may run through the body or windshield.*

Transmission:

1. Standard Automatic transmissions w/ working torque converter... or an OEM manual transmission and min. 7.25" clutch.
2. **An aftermarket transmission with a 7.25" external clutch may be used with 75 pound penalty.**
3. **Clutches must follow Super Series rules, and may only be a minimum of 7.25".**
4. Drive shaft loop required.

Suspension:

1. *No Bump-Stops or suspension travel limiting devices. No coil binding.*
2. No aftermarket lower A-Frames (O. E. M. mounting towers only).
3. No aftermarket or made for racing spindles Must be OEM style spindle.
4. Standard aftermarket upper A-Frames may be used with a **35 lbs penalty** (O. E. M. mounting towers only).
5. No aftermarket trailing arms (Single chassis mounting point only).
6. No 3-Link or Panard Bar set ups.
7. Shocks must be steel, economy-type, may not be externally adjustable and may not be gas re-chargeable (any shock may be claimed for \$75). Maximum nationally advertised retail cost of shock may not exceed \$125 (lack of national advertising makes shock **illegal**). **SHOCKS MUST ALSO BE ON AN ANDERSON SPEEDWAY OR CRA SERIES APPROVED LIST TO BE LEGAL. LIST TO BE PUBLISHED AT A LATER DATE.**
8. Ford 9 inch rear ends OK. No Quick-change rear ends.
9. Maximum 78" tread width measures from outside of tire to outside of tire at spindle height.
10. Stock-type, **steel** brake calipers only. **Brake caliper may not be of a floating design and must be mounted solidly to rear end housing.**
11. Stock-type sway bars only. Maximum 1.25" diameter and must be mounted, on the chassis side, forward of the steering box.
12. Maximum 8" wide steel wheels only.
13. The Hoosier Comanche plated "CRA" is the spec tire for this division.
14. **Spec tire to be announced at a later date.**

Engine:

1. Engine must be cast iron (block & heads). No Dry Sumps.
2. Use of Roller Cams/Lifters is discouraged and therefore any team NOT using them may **deduct 50 lbs.**
3. Heads must be standard valve angle. NO shaft mounted rockers
4. Aluminum intake may be used with a 50 pound penalty.
5. Headers may be used with a **25 pound penalty** (no 180's).
6. Engines under 365 c.i. may **deduct 50 lbs.**
7. Engines over 412 c.i. must **add 50 lbs.**
8. Engine must be located so the spark plug of forward most cylinder is no further back than 1 inch of center-line of the upper ball joints.
9. Exhaust must exit behind the driver and beneath car or under frame.
10. Two or Four barrel carburetors only, but NO dual-line, rear metering block, or double-pump carburetors. No Demon Carbs. One spacer plate or adapter not to exceed 1 1/4 inches with gaskets.

Body:

1. All cars must have stock firewall and floor-pan in place.
2. **Cars must have factory roof, and factory upper portion of rear 1/4 panels. All other body panels must be made out of steel and be stock appearing. GM to GM, Ford to Ford, Mopar to Mopar for chassis, body and engines.** Aftermarket bodies are not allowed. Front fenders must retain stock body line. No notching or "bending" fenders to improve performance.
3. Aftermarket bumper covers must cover all bumpers and brace supports and all metal must be behind and covered by the cover. Must run a stock-type bumper if no bumper-cover is used. Rear bumper/tail-light area must be enclosed (no open tail sections).
4. Nose-piece must be mounted with stock body line in mind. Nose-piece should not be chopped, lowered, or angled.

5. Rooflines must have stock appearance (“Chopped Roofs” may result in additional weight penalty).
6. Side windows may go no further back than 15” from the corner of the A-Post and must go straight up at a 90 degree angle from the door. Window openings on both sides of car must be minimum of fifteen inches (15”) in vertical height.
7. Interior behind the driver must be parallel to the ground up to the rear window and there must be a definitive transition from interior to the rear deck area which must remain relatively flat.
8. Minimum roof height with standard roof rake is 48 inches.
9. No spoilers or hood scoops allowed (regardless if they are stock). No holes cut in hood for air cleaners.
10. Body, exhaust, rocker panels or any other mounted items must be no closer to the ground than 4 inches.
11. Rub rails may only be used if they are polycarbonate.

Additional Rules:

1. A fuel cell is mandatory and cannot exceed 22 gallon capacity. Fuel line must be standard in its size and length.
2. No carbon fiber except for safety units such as seats or neck restraints.
3. Collapsible steering column recommended for 2012 and may be required for 2013 and beyond
4. Radios NOT allowed.
5. Officials may change any of the Street Stock rules in the interest of fairness and safety at any time and all decisions are final.

THUNDERCAR

Any driver is eligible to compete in this division.

The engine of the winner may be claimed by any other competitor outside the top 3 that finishes within 2 laps of the winner and is in good running order at the end of the end of the feature. Claiming driver or owner must have \$2,000 and be prepared to exchange their engine for the engine being claimed. Drivers or owners wishing to claim may do so by notifying the tech official or race director, before the feature and must do so in cash. Management has the right to refuse any claim for any reason. Management has the right to claim any engine for \$2,000. The transmission of the winner may be claimed by any other competitor outside the top 3 that finishes within 2 laps of the winner and is in good running order at the end of the feature for \$250.00. Drivers or owners wishing to claim may do so by notifying the Technical Director or Race Director, before the feature and must do so in cash. Management has the right to refuse any claim for any reason. Management has the right to claim any transmission for \$250.00. Owners refusing claims will be disqualified from the event.

Section A: Eligible Cars

1. Eligible cars may be any 1960 or newer American made car with a minimum wheelbase of 108". Monte Carlos, 1978 or newer, are permitted. The following car types are specifically prohibited: Station Wagons, 4 wheel drives, El Caminos, "pony type" cars Camaros, Firebirds and Mustangs.
2. All cars must weigh a minimum 3,200 lbs.
3. The maximum left side weight may be no more than 56%.

Section B: Engine and Transmission

1. The engine and transmission must be stock for the make and model and must be in stock location.
2. The 2nd plug on the left side of the engine must be located within 1" of the center of the ball joint.
3. All engine components must be cast iron, including the exhaust manifold.. Aluminum components and headers are not permitted.
4. Engines must have factory straight plug heads. Aftermarket straight plug heads may be used with a 75 lb. weight penalty.
5. All cars must use a factory stock ignition.
6. Roller cams are not permitted.
7. Roller rockers are permitted.
8. Dual line or double pump carburetors are prohibited. Carburetors may have no more than 2 discharge nozzles.
9. Oil coolers are not permitted in the driver's compartment.
10. Fuel cell installations are subject to technical director's approval. All fuel cells must have a minimum 10" clearance to the ground.
11. Electric fuel pumps may not be used unless they are standard equipment for the make and model of car.
12. Rear ends must be stock, **model to model**, and may be locked, positive or open.
13. All transmissions must be automatic. All cars must have a stock appearing converter.

Section C: Suspension, wheels, tires and brakes

1. **All suspension MUST remain in stock location and be of stock components. Must be STOCK-TYPE Shocks (no heim ends, etc). Weight jacks permitted on rear only..**
2. Shocks must be "Stock Type" with no heim ends, etc.
3. Weight jacks are permitted on rear suspension only.

4. Tires must be standard, non-racing, D.O.T. 70, 75 or 78 series radial tires with a maximum 8' wheel. McCreary, American Racer or retreads are prohibited. In addition, a 16" non racing tire may be used on a 7" rim only. (225 X 60 X 16 or 235 X 70 X 16)
5. Racing wheels are encouraged.

Section D: Body, Frame and Interior

1. Stock, steel bodies are required. Roof must be stock. Other body parts may be fabricated and must be close to original subject to technical approval.
2. Frames and suspension must be stock and unaltered for the same make and model.
3. A competition 4-point roll cage is permitted. A minimum of a rollover bar over the driver is required.
4. Doors must be welded, bolted or chained shut.
5. All glass, plastic, chrome, trim handles, emblems, hitches, etc. must be removed prior to entering the track.
6. All cars must have windshields. Lexan windshields are permitted. Windshield protection bars may also be used.

Section D: Body, Frame and Interior - Continued

1. All cars must have factory stock, COMPLETE, bumpers or bumpers made from 2" x 2" tubing. Bumpers made from tubing may be no wider than the frame horns. Frame horns may not be moved. **Bumpers may not have any sharp edges and must be no wider than frame horn to frame horn.** Bumpers must be chained, front and back, on each side of the bumper. All front end configurations are subject to technical approval. Reinforced "Cow Catchers" are prohibited.
2. All bolts, screws or sharp objects protruding from the car must be removed.
3. Spoilers are prohibited for ThunderCars.
4. Racing pedals and decking of interiors is prohibited.
5. All cars must have a floor pan and front firewall.
6. All cars must have a minimum frame height clearance of 6" at all points under the car.
7. Mirrors and radios are prohibited.
8. 1"rub bars may be used. The bars must match the body color of the car and have no sharp or protruding edges.
9. The rear of the vehicle must be covered - back panel.

Section E: Safety

1. All Anderson Speedway safety rules apply. See "Safety Rules".
2. Fire extinguishers are mandatory in each car.
3. **A collapsible steering column is recommended for 2012 and may be required for 2013 and beyond.**

FRONT WHEEL DRIVE (F.W.D.) CARS

Oval & Figure 8

In an effort to introduce new people to the fun and excitement of stock car racing, Anderson Speedway has developed the F.W.D division. (Front wheel drive cars). These cars are not intended to be performance, race-type vehicles. These cars are to be stock with only modifications outlined below. The goal is to have inexpensive (almost disposable) cars to race. Any effort to make them lighter, go faster or handle better is illegal. Only modifications for safety outlined herein are allowed.

The only drivers eligible for **points** in these divisions are those who have never finished in the top five in points in any other division higher than front wheel drives in the past three years or have finished in the top 3 in points in the respective division 3 out of the last 5 years or who have won a championship in the respective division. Oval and Figure 8 are separate divisions for this rule. Drivers who do not meet eligibility requirements in these divisions may race up to 4 times for purse only. Management has the right to deem a driver ineligible for the either division at any time and for any reason.

The car of the winner may be claimed by any other competitor outside the top 3 that finishes within 2 laps of the winner and is in good running order at the end of the end of the feature. Claiming driver must have \$ 1,000 for a straight claim or \$ 500 and be prepared to exchange their car for car being claimed. Owner's car being claimed has the choice. Easily removable safety equipment, i.e. driver seat, fire systems, belts, etc. may be removed before claim. Drivers or owners wishing to claim may do so by notifying the Technical Director or Race Director, before the feature and must do so in cash. Management has the right to refuse any claim for any reason. Management has the right to claim any car for \$ 1,000. Owners refusing claims will be disqualified from the event.

Section A: Eligible Cars

1. Cars may be foreign or domestic and must be front wheel drive.
2. Cars must be 4 or 6 cylinder and not newer than 1999. Manual transmissions are allowed on 4 cylinder cars **ONLY**. Dual overhead cams ,Turbo's or Rotary engines on any car are prohibited
3. The car's wheelbase must be between 97" and 108".
4. Tech will be done in reference to the Chilton's manual, electronics diagnostics and other methods as deemed necessary. A diagnostics plug under the dash must be present.

Section B: Engine & Transmission

1. Engine and transmission must be installed in the make and model for which it arrived from the factory and must be OEM per factory specifications for make and model.
2. Engines may not exceed a maximum of 3.1 liter displacement.
3. Everything under the hood must be O.E.M., and in stock location without any modifications.
4. Heater Cores and A/C condensers may be removed.
5. Turbo, dual overhead cam and rotary engines are prohibited.
6. Exhaust must remain in stock location. The catalytic converter and the muffler may be removed.
7. Radiator overflow bottles must have a 1-gallon capacity and remain in stock location.
8. Extra coolers for the transmission **only** must be mounted in front of the radiator.
9. Fuel additives of any kind are prohibited.

Section C: Suspension, Wheels, Tires, and Brakes

1. All four tires must be the same size. Tires must be standard D.O.T. series and must be the same size on all four corners. Tires must have standard road tread design, with a minimum of 3 regular grooves and cannot be directional not performance or snow tread) and are subject to tech approval. The Falken ZE 512 or 912 standard 4 groove D.O.T. tires will be permitted. A minimum tire pressure is mandatory at all times in this division: Oval 24lbs., Figure 8 – 34lbs.
2. Springs must be the same diameter and size, front and rear. Coil over or racing springs are prohibited.
3. All suspension and steering components must remain stock and unaltered.
4. Spacers, knuckle busters, rubbers, lumber or chains may not be used to alter stock suspension or for any other reason.
5. Brakes must work on all four wheels. Absolutely no hand or emergency brakes are permitted to be on the cars or operational on the car.
6. Aluminum or racing wheels are permitted and must be the same width on all four corners.
7. A maximum offset variance of 1" from stock. Front camber may be 2 3/4" maximum and rear camber may be 1" maximum.

D. Body, Frame, and Interior

1. All exterior body components must remain stock. All chrome and plastic must be removed from the outer body.
2. No lightening or gutting of the car will be allowed, except where outlined below. Doors must be welded or chained shut. Hinges and latches may be unbolted (not cut) from hood. Battery may be relocated behind the driver's seat, securely bolted to the floor and covered.
3. When destroyed, bumpers must be replaced with a full size, unaltered steel bumper shell to be mounted over minimum and maximum 2" x 3" square tubing. This tubing may not extend past the original bumper mounts. This bumper set-up may only be attached to the car in the stock locations. Bumper shock absorbers must be welded to prevent collapse. Bumper must be chained to the frame horns.
4. Bars in front of radiator are not permitted. However, once destroyed, the stock radiator may be placed in a fabricated and heavy- duty support frame.
5. It is suggested that air bags be dismantled.
6. All glass, except windshield, must be removed from car, including headlights, taillights, outside mirrors, etc. All glass must be swept from car. Windshield may be replaced with lexan.
7. Aftermarket nosepieces or rub rails are not permitted.
8. Spoilers are not permitted, even if stock.
9. The complete body, including hood, must be intact at the start of the event. Any deviation from this after the event has started must be approved by the technical director.
10. All cars must have 2 eye hooks or similar welded under the hood for wrecker pick up hooks.

E. Safety

1. Dash pad must remain in position. The carpet and headliner may be removed. Rear seat may be removed, however there must not be any openings between the trunk and drivers compartment.
2. The front seat may be replaced with a bucket seat or a racing seat. All drivers must use approved 5-point safety-harness belts, approved racing helmets, and must wear an approved fire suit at all times on the track. Seats and belts must be mounted to the driver's cage if a cage is used.
3. Fuel additives are not permitted.
4. Cars with electric fuel pumps must have a disconnect switch mounted such that it is easily accessible by the driver and safety personnel.
5. Weight may not be added anywhere.

6. A full roll cage or driver's roll bar is required*. A full, 4 point cage may be used, with no front or rear hoops. Door bars may be installed as well; only the driver's door may be skinned to give arch to bars. If a single roll over bar is used, it may be supported by kick-downs to the rear that go no further back than the rear firewall. A front support bar should extend past the door, no further than the front firewall for door support. A 4-point cage must be welded to 2, 4" plates which sandwich the floor pan at each mounting point. A driver's side foot bar is permitted.

*In the F.W.D. figure 8, a full 4-point cage with driver's side doorplate is required.

7. A collapsible steering column is recommended for 2012 and may be required for 2013 and beyond.

THE FOLLOWING RULES ARE FOR FRONT WHEEL DRIVE FIGURE 8 CARS ONLY

1. Any 4 or 6 cylinder front wheel drive car permitted
2. 4 cylinder cars may use a manual or automatic transmission
3. 6 cylinder cars must use an automatic transmission
4. All cars must use cast iron exhaust
5. Any D.O.T. non racing tires can be used. 13,14,or 15 inch wheels can be used. All wheels must be the same size.
6. Cars can use any caster angle on the front wheels.
7. All cars must have 35psi in both front tires.
8. Cars may attach wing panels and spoilers no higher than the roof

PURSE DISTRIBUTION FOR 2012

LATE MODELS

FEATURE:	1. 800	2. 400	3. 300	4. 250	5. 200	6. 175
	7. 150	8. 140	9. 130	10. 120	11. 100	12. 100
Tow: 50	13. 100	14. 100	15. 100	16. 100	17. 100	18. 100
	19. 100	20. 100	21. 100	22. 100	23. 100	24. 100

B FEATURE 0-0-70-60-50 on out (Top 2 Transfer to A Feature)

STREET STOCKS

FEATURE:	1. 400	2. 250	3. 200	4. 150	5. 125	6. 100
	7. 90	8. 85	9. 75	10. 70	11. 65	12. 60
Tow: 40	13. 60	14. 60	15. 60	16. 60	17. 60	18. 60
	19. 60	20. 60	21. 60	22. 60	23. 60	24. 60

B FEATURE 0-0-50-45-40 on out (Top 2 Transfer to A Feature)

THUNDERCARS

Tow: 20 *	1. 250	2. 125	3. 100	4. 75	5. 70	6. 60
	7. 50	8. 40	9. 35	10. - out 30		

FRONT WHEEL DRIVES

FIGURE 8	1. 150	2. 75	3. 60	4. 55	5. 45	6. 40
	7. 35	8. 30	9. 25	10. - out 20		
OVAL	1. 100	2. 50	3. 45	4. 40	5. 35	6. 30
	7. 25	8. 20	9. 15	10. - out 10		

POINTS DISTRIBUTION FOR 2012

MAIN FEATURE B-FEATURE HEATS QUALIFYING

1 ST - 175	1 ST - 65	1 ST - 25	1 ST - 20
2 ND - 170	2 ND - 60	2 ND - 23	2 ND - 18
3 RD - 165	3 RD - 55	3 RD - 21	3 RD - 16
4 TH - 160	4 TH - 50	4 TH - 19	4 TH - 14
5 TH - 155	5 TH - 45	5 TH - 17	5 TH - 12
6 TH - 150	6 TH - 40	6 TH - 15	6 TH - 10
7 TH - 145	7 TH - 35	7 TH - 13	7 TH - 8
8 TH - 140	8 TH - 30	8 TH - 11	8 TH - 6
9 TH - 135	9 TH - 25	9 TH - 9	9 TH - 4
10 TH - 130	10 TH - 20	10 TH - 7	10 TH & out - 2
11 TH - 125	11-out 20	11 TH - 5	
12 TH - 120		12 TH & out - 3	
13 TH - 115			
14 TH - 110			
15 TH - 105			
16 TH - 100			
17 TH - 95			
18 TH - 90			
19 TH - 85			
20 TH - 80			
21 ST - 75			
22 ND - 70			
23 RD - 65			
24 TH - 60			
25 TH - 55			
26 TH - 50			
27 TH - 45			
28 TH - 40			
29 TH - 35			
30-out 30			

REGULAR RACE LENGTHS

LATE MODELS: HEATS 10 LAPS, A FEATURE 35 LAPS,
B FEATURE 12 LAPS

STREET STOCKS: HEATS 10 LAPS, A FEATURE 30 LAPS,
B FEATURE 12 LAPS

THUNDERCAR: HEATS 10 LAPS, FEATURES 25 LAPS

FRONT WHEEL DRIVE OVAL: HEATS 10 LAPS, FEATURES 20 LAPS

FRONT WHEEL DRIVE FIGURE 8: HEATS 6 LAPS, FEATURE 15 LAPS

SPECIALS WILL BE ANNOUNCED IN ADVANCE

A minimum of 25 points will be earned by all eligible cars for the event. (Tow Points)